U.S. Census Office 12th Commen 1900

REFERENCE COPY

CENSUS REPORTS

VOLUME III

TWELFTH CENSUS OF THE UNITED STATES,
TAKEN IN THE YEAR 1900

WILLIAM R. MERRIAM, DIRECTOR

VITAL STATISTICS

PART I

ANALYSIS AND RATIO TABLES"

PREPARED UNDER THE SUPERVISION OF WILLIAM A. KING, CHIEF STATISTICIAN FOR VITAL STATISTICS



WASHINGTON
UNITED STATES CENSUS OFFICE
1 9 0 2

EUREAU OF THE CENSUS

TABLE OF CONTENTS.

Letter of transmittal of the Chief Statistician for Vital Statistics to the Director of the Census			Page (
PARTS.	• • • • •		Fage 1
Part I Analysis of the			
Part I. Analysis of the general returns, tables of ratios and death rates for the census year, with maps and diagrappendix describing the various areas for which data are presented in the report	ams,	and an	1000 page
		* * * * * * *	Town I toward
CONTENTS OF PARTS.			
ANALYSIS.			
Introductory Enumerators' returns	Part	Section	
			A)
Classification of returns. Classification of causes. Future reports		1 1	LEXVI
		1	XXX v kin
		1	LLEIS
		11.	3.1
42 PR MB, 4DD W 1900		111	
The state of the company year		} III	
- DE CHARLES THE CONTRACTOR OF		111	I.4i,
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		17	iv.
color and race, nativity and parent hanvity		**************************************	. 【集】页 【集】页
ADD-44444	_	725	Izzia
Average age.	3	7//	ANN'S
Infantile mortality.	1	723	ingani
Conjugal condition	7	*111	SERIE
Conjugal condition Months.	2	1 %	第173
Locality .	1		200万
Causes of death	1	3 :	置では
Generally	1	2011	f. K.L
General diseases—A	7	A.II	7.33
Measles	1	7.11 7.11	<b>や思す</b> <b>十本: 本</b>
Scarlet faver.	1	311	九里里[]
Diphtheria and croup	1	ZII	F 製 葉 マ 注
Diphtheria		XII	exati
Whooping cough		32.07	CERT
Malarial fever	1	3X I f	* X X X 1 1
Influenza	1	21(	6811.
Typhoid fever	1	XII	rativ
Diarriteal diseases Cerebro-spinal fever		36.51	· MITTEL
Smallpox.	1	XII	47 k \$ 8.4
Erysipelas Erysipelas	1	333	eirai • irai
Venereal diseases		31.11 31.11	eran eran
Alcoholism	1	XII	rini
Old age	1	311	elule
Diabetes.	1	TE IT	elgeth
Scrofula and tabes	1	<b>E</b> 44	を注意選
Hydrocephalus	1	Mil	elexisi
Consumption	1	nit	elgavi
Cancer and tumor.	1	<b>X</b> 17	e azzzi
Cancer	1	XII	2011年第二日
Diseases of the nervous system	1	XII	n med
Apoplexy and paralysis. Tetanus and trismus nascentium	Z	Ti.	e <b>r</b> eviii
Tetanus and trismus nascentium  Convulsions	1	X.i.	encevia
Diseases of the circulatory system	1	XII	4903 medi
Diseases of the circulatory system  Heart disease and dropsy	1	XII	en vi
Angina pectoris	1	XII	energy.
Anottrism	1	TII.	eenii
Dispusses of the respiratory system.	1	KII	exact.
Phatimonia	1	X11	ee 2 7 M
Bronehitis.	1	X 13	ext Ri

ANALYSIC Continued				
	Part.	Sect	1	Page.
Diseases of the directive system	1 1		XII	CCXXIV
Diseases of the stomach Obstruction of the bowels	1		XII	ccxxyii ccxxix
A prendicitie	1		XII	CCXYTI
Hernia	1		XII	ccxxxii
Diseases of the liver	1		XII	ccxxxiv
Diseases of the urinary system	1		XII	cexl
Rright's disease	1		XII	cexliii
Diseases of the kidneys. Diseases of the female organs of generation.	1 1		XII	cexly
Affections connected with pregnancy.	ī		XII	ccxlyii
Diseases of the bones and joints	1		XII	ecl
Accidents and injuries	1 1		XII	celii cely
Suicide	1		XIII	eelix
Description of areas for which data are given	1	Appe	end.	cecii
m i mi mo				
TABLES. AGE AND SEX:	P	art.	No.	Page.
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, from certain diseases and clas	3es	1	1	1-73
of diseases, by conjugal condition, color, age, and birthplaces of mothers, with distinction of sex,	i	.		
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, of males engaged in each occup	}&- ]	1	2	75-111
tion and class of occupations, by color, age, and birthplaces of mothers.  Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, at the specified ages, of white ma	les	1	3	113-122
engaged in each occupation, and class of occupations,	l	-		
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, at the specified ages, of color	ed	1	4	123-132
males engaged in each occupation, and class of occupations.  Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, of females engaged in each spe	ei-	1	5	133-143
fied occupation, by color, age, and birthplaces of mothers.	-	-	- 1	200 210
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, at the specified ages, of wh	ite	1	6	145-148
females engaged in each specified occupation.  Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, at the specified ages, of color		1	7	149-152
females engaged in each specified occupation.	eu	1	'}	140-102
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, from each specified disease, a	nđ	1	8	153-189
class of diseases, of males engaged in each occupation, and class of occupations.	_ ,	,	9	101 007
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, from each specified disease a class of diseases, of white males engaged in each occupation, and class of occupations.	na	1	9	191-207
Deaths in the United States, the registration area and its subdivisions, and the nonregistration area, from each specified disease a	nd	1	10	209-225
class of diseases, of colored males engaged in each occupation, and class of occupations.				
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease a	nd	1	11	227-237
class of diseases, of females engaged in each occupation.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease a	nd	1	12	239-243
class of diseases, of white females engaged in each occupation.				
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease a	nd	1	18	245-249
class of diseases, of colored females engaged in each occupation.  Deaths from cancer in the United States, the registration area and its subdivisions and the nonregistration area, by color, general na	iv-	1	14	251-256
ity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	***	_	**	201 200
Deaths from cancer, in the registration area, of the single, married, widowed, and divorced, by color, general nativity, parent nativi	ty,	1	15	257-260
and birthplaces of mothers, with distinction of sex and age.  Deaths from cancer of certain specified organs, in the registration area, by color, general nativity, parent nativity, and birthplace:		1	16	261-273
mothers, with distinction of sex and age.	. 01	1	10	201-210
Deaths from cancer in the United States, and in the registration and nonregistration areas, at each age, of males engaged in each oc	eu-	1	17	275-279
pation and class of occupations.  Deaths from cancer in the United States, and in the registration and nonregistration areas, at each age, of females engaged in er	.	.		. 001 000
occupation.	.en	1	18	281-283
Population, births, deaths, and death rates at certain ages, and deaths from certain principal causes in the United States, each state s	nđ	1	19	285-555
city, and each group and county in the registration states, by sex, color, general nativity, and parent nativity.		_		FF0 F84
Number of deaths, and the death rate per 100,000 of population, from each cause, in the registration area and its subdivisions, by se Death rates from each cause per 100,000 of population, in the registration states, in the aggregate, and for the cities and the re		1 1	20 21	559-564 565-573
districts, by sex.		-		
Number of deaths at each age per 1,000 deaths, at known ages, in the United States, the registration area and its subdivisions, and	.in	1	28	583-601
each registration state, by sex, color, general nativity, and birthplaces of mothers.  Number of deaths at each age per 1,000 deaths at known ages from each cause, in the United States, the registration area, and	41	1	24	603-627
registration cities, by sex.	,ne	1	21	000-021
Number of deaths from each cause per 1,000 deaths from known causes, in the United States, the registration area, and the registrat	ion	1	25	629-653
cities, by age and sex.		.	or	655-679
Number of deaths from each cause per 1,000 deaths from known causes, in the United States, and each grand group, in the aggregated and for the cities and rural districts, by sex.	te,	1	26	000-078
Proportions of the aggregate population of the United States at each specified age, per 100,000 population of known ages, by sex, co	ior,	1	27	683-687
general nativity, and parent nativity.		_ 1		000 805
Proportions of the aggregate, the white, and the colored populations of the United States, and of each state and territory, at e specified age, per 100,000 population of known ages.	ıen	-1	28	689-695
Deaths in each state and territory, by sex, at each census: 1870 to 1900		2	2	3-4
Deaths in the United States, each state and territory, and each registration city, by color, general nativity, parent nativity, and sex		2	4	7-19
Deaths in the United States, each state and territory, and each registration city, at each age, by sex		2 2	5 6	21-53 55-113
nativity, parent nativity, and birthplaces of mothers.		-		
Deaths in the United States, the registration area and its subdivisions, and in each state and territory, from each specified disease	ınd	2	8	227-667
class of diseases, by sex and age.  Deaths in the United States from each specified disease and class of diseases, by color and race		2	9	669-701
Deaths in the registration area, from each specified disease and class of diseases, by color and race.		2 2	10	703-727
Deaths of white persons in the registration area, from each specified disease and class of diseases, by birthplaces of mothers		2	11	. 729-841
Deaths in each registration state, from each specified disease and class of diseases, by birthplaces of mothers		2 2	12 13	843-879 881-1055
diseases and classes of diseases, by months.	1eu	*	1.3	Jun 2413
	•	. '		

### TABLE OF CONTENTS.

TABLES—Continued.			
COLOR AND RACE:  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from certain diseases and classes of	Part.	No.	Page. 1-78
diseases, by conjugal condition, color, age, and birthplaces of mothers, with distinction of sex.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, of males engaged in each occupation	1	2	75-111
and class of occupations, by color, age, and birthplaces of mothers.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, at the specified ages, of white males	1	3	113-122
engaged in each occupation and class of occupations.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, at the specified ages, of colored	1	4	128-132
males engaged in each occupation and class of occupations.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, of females engaged in each specified	1	ā	133-148
occupation by color, age, and birthplaces of mothers.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, at the specified ages, of white	1	6	145-148
females engaged in each specified occupation.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, at the specified ages, of colored	1	7	149-152
females engaged in each specified occupation.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and	1	9	191-207
class of diseases, of white males engaged in each occupation and class of occupations.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and	1	10	209-225
class of diseases, of colored males engaged in each occupation and class of occupations.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and	1	12	239-243
class of diseases, of white females engaged in each occupation.			245-249
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of colored females engaged in each occupation.	1	18	
Deaths from cancer in the United States, the registration area and its subdivisions and the nonregistration area, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	14	251-256
Deaths from cancer in the registration area, of the single, married, widowed, and divorced, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	15	257-260
Deaths from cancer of certain specified organs, in the registration area, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	16	261-273
Population, births, deaths, and death rates at certain ages, and deaths from certain principal causes in the United States, each state and city, and each group and county in the registration states, by sex, color, general nativity, and parent nativity.	1	19	285–555
Number of deaths at each age per 1,000 deaths at known ages, in the United States, the registration area, and its subdivisions, and in each registration state, by sex, color, general nativity, and birthplaces of mothers.	1	23	583-601
Proportions of the aggregate population of the United States at each specified age, per 100,000 population of known ages, by sex, color, general nativity, and parent nativity.	1	27	683-687
Proportions of the aggregate, the white, and the colored populations of the United States and of each state and territory, at each	1	28	689-695
specified age, per 100,000 population of known ages.  Deaths in each state and territory, by color and race	2	3	5-6
Deaths in the United States, the registration area and its subdivisions, and in each state and territory, at each age, by sex, color,	2 2	4 6	7–19 55–113
general nativity, and parent nativity, and birthplaces of mothers.  Deaths in the United States, from each specified disease and class of diseases, by color and race		9	669-701
Deaths in the registration area, from each specified disease and class of diseases, by color and race	2	10	703-727
Deaths from cancer in the United States, the registration area and its subdivisions and the nonregistration area, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	14	251-256
Deaths from cancer, in the registration area, of the single, married, widowed, and divorced, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	15	257-260
Deaths from cancer of certain specified organs, in the registration area, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	16	261-273
Population, births, deaths, and death rates at certain ages, and deaths from certain principal causes in the United States, each state and city, and each group and county in the registration states, by sex, color, general nativity, and parent nativity.	1	19	285-555
Number of deaths at each age, per 1,000 deaths at known ages, in the United States, the registration area and its subdivisions, and in each registration state, by sex, color, general nativity, parent nativity, and birthplaces of mothers.	1	28	583-601
Proportions of the aggregate population of the United States at each specified age, per 100,000 population of known ages, by sex, color, general nativity, and parent nativity.	1	27	683-68 <b>7</b>
Deaths in the United States, each state and territory and each registration city, by color, general nativity, parent nativity, and sex  Deaths in the United States, the registration area and its subdivisions, and in each state and territory, at each age, by sex, color, general	2 2	4 6	7–19 55–113
nativity, parent nativity, and birthplaces of mothers.  BIRTHPLACES OF MOTHERS:	~		30 220
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from certain diseases and classes of diseases, by conjugal condition, color, age, and birthplaces of mothers, with distinction of sex.	1	1	1-78
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, of males engaged in each occupa- pation and class of occupations, by color, age, and birthplaces of mothers.	1	2	75-111
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, of females engaged in each specified occupation, by color, age, and birthplaces of mothers.	1	5	183-143
Deaths from cancer in the United States, the registration area and its subdivisions and the nonregistration area, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	14	251 <b>-256</b>
Deaths from cancer, in the registration area, of the single, married, widowed, and divorced, by color, general nativity, parent nativity,	1	15	257-260
and birthplaces of mothers, with distinction of sex and age.  Deaths from cancer of certain specified organs, in the registration area, by color, general nativity, parent nativity, and birthplaces of	1	16	261-273
mothers, with distinction of sex and age.  Number of deaths at each age, per 1,000 deaths at known ages, in the United States, the registration area and its subdivisions, and in	1	23	583-601
each registration state, by sex, color, general nativity, parent nativity, and birthplaces of mothers.  Deaths in the United States, the registration area and its subdivisions, and in each state and territory, at each age, by sex, color, general	2	6	55-113
nativity, parent nativity, and birthplaces of mothers.  Deaths of white persons in the registration area, from each specified disease and class of diseases, by birthplaces of mothers	2	11	729-841
Deaths in each registration state, from each specified disease and class of diseases, by birthplaces of mothers	2	12	843-879
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from certain diseases and classes of diseases, by conjugal condition, color, age, and birthplaces of mothers, with distinction of sex.	1	1	1-73
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of males engaged in each occupation and class of occupations.	1	8	158–189
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of white males engaged in each occupation and class of occupations.	1	9	191-207

TABLES-Continued.	(20	. 37- 1	<b>-</b> .
CAUSES OF DEATH—Continued.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and	Part.	No.   10	Page. 209-225
class of diseases, of colored males engaged in each occupation and class of occupations.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and	1	11	227-237
class of diseases, of females engaged in each occupation.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and	1	12	239-243
class of diseases, of white females engaged in each occupation.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and	1	13	245~249
class of diseases, of colored females engaged in each occupation.  Deaths from cancer in the United States, the registration area and its subdivisions and the nonregistration area, by color, general	1	14	251-256
nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.  Deaths from cancer, in the registration area, of the single, married, widowed, and divorced, by color, general nativity, parent nativity,	1	15	
and birthplaces of mothers, with distinction of sex and age.  Deaths from cancer of certain specified organs, in the registration area, by color, general nativity, parent nativity, and birthplaces	1	16	257~260 261~273
of mothers, with distinction of sex and age.  Deaths from cancer in the United States, and in the registration and nonregistration areas, at each age, of males engaged in each	1	17	
occupation and class of occupations.  Deaths from cancer in the United States, and in the registration and nonregistration areas, at each age, of females engaged in each	1		275~279
occupation.		18	281-283
Population, births, deaths, and death rates at certain ages, and deaths from certain principal causes in the United States, each state and city, and each group and county in the registration states, by sex, color, general nativity and parent nativity.	1	19	285-555
Number of deaths and the death rate per 100,000 of population, from each cause, in the registration area and its subdivisions, by sex  Death rates from each cause, per 100,000 of population, in the registration states, in the aggregate and for the cities and the rural districts, by sex.	1 1	20 21	559-564 565-573
Death rates from certain causes per 100,000 of population in each county in the registration states	1 1	22 24	575-581 603-627
tration cities, by sex. Number of deaths from each cause, per 1,000 deaths from known causes, in the United States, the registration area and the registration	1	25	629-653
cities, by age and sex.  Number of deaths from each cause per 1,000 deaths from known causes, in the United States and each grand group, in the aggregate	1	26	655-679
and for the cities and rural districts, by sex.  Deaths in the United States, each state, state group and registration city, from each reported cause	-	7	
Deaths in the United States, the registration area and its subdivisions, and in each state and territory, from each specified disease and	2 2	8	115-226 227-667
class of diseases, by sex and age.  Deaths in the United States, from each specified disease and class of diseases, by color and race	2	9	669-701
Deaths in the registration area, from each specified disease and class of diseases, by color and race.  Deaths of white persons in the registration area, from each specified disease and class of diseases, by birthplaces of mothers.	2 2	10 11	703-727
Deaths in each registration state, from each specified disease and class of diseases, by birthplaces of mothers	2	12	729-841 843-879
Deaths in the United States, the registration area and its subdivisions and in each grand group, at certain ages, and from certain speci- fied diseases and classes of diseases, by months.	2	13	881-1055
Conjugal condition:		1	
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from certain diseases and classes of diseases, by conjugal condition, color, age, and birthplaces of mothers, with distinction of sex.	1	1	1-73
Deaths from cancer, in the registration area, of the single, married, widowed, and divorced, by color, general nativity, parent nativity, and birthplaces of mothers, with distinction of sex and age.	1	. 15	257-260
MONTH OR SEASON:  Deaths in the United States, the registration area and its subdivisions and in each grand group, at certain ages and from certain specified	_		
diseases and classes of diseases, by months,  Occupation:	2	13	881–1055
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, of males engaged in each occupation	1	2	75–111
and class of occupations, by color, age, and birthplaces of mothers.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, at the specified ages, of white males	1	3	113-122
engaged in each occupation and class of occupations.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, at the specified ages, of colored	1	4	123-132
males engaged in each occupation and class of occupations.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, of females engaged in each specified.	1	5	133-143
occupation, by color, age, and birthplaces of mothers.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, at the specified ages, of white	1		
females engaged in each specified occupation.  Deaths in the United States, the registration area and its subdivisions and the nonregistration area, at the specified ages, of colored	1	6	145-148
females engaged in each specified occupation.	1	7	149-152
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of males engaged in each occupation and class of occupations.	1	8	153-189
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of white males engaged in each occupation and class of occupations.	1	9	191-207
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of colored males engaged in each occupation and class of occupations	1	10	209-225
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of females engaged in each occupation.	1	11	227-237
Deaths in the United States, the registration area and its subdivisions and the nonregistration area, from each specified disease and class of diseases, of white females engaged in each occupation.	1	12	289-248
Deaths in the United States, the registration area and its subdivisions and the nonregistration area from each specified discuss and	1	13	245-249
class of diseases, of colored females engaged in each occupation.  Deaths from cancer in the United States, and in the registration and nonregistration areas, at each age, of males engaged in each	1	17	275-279
occupation and class of occupations.  Deaths from cancer in the United States, and in the registration and nonregistration areas, at each age, of females engaged in each	1	18	281-283
occupation.  Death rates and ratios:		. 10	201-200
Population, births, deaths, and death rates at certain ages, and deaths from certain principal causes in the United States, each state	1	19	285-555
and city, and each group and county in the registration states, by sex, color, general nativity, and parent nativity.  Number of deaths, and the death rate per 100,000 of population, from each cause, in the registration area and its subdivisions, by sex	1	20	559-564
tricts, by sex	1	21	565-578
Death rates from certain causes per 100,000 of population in each county in the registration states. Number of deaths at each age, per 1,000 deaths at known ages, in the United States, the registration area and its subdivisions, and in	1	22	575-581
each registration state, by sex, color, general nativity, parent nativity, and birthplaces of mothers	1	23	583-601


TABLES—Continued.			
DEATH RATES AND RATIOS—Continued.	Part.	No. 1	Page.
Number of deaths at each age, per 1,000 deaths at known ages from each cause, in the United States, the registration area and the registration cities, by sex	,	24	603-627
Number of deaths from each cause per 1,000 deaths from known causes, in the United States, the registration area and the registration cities, by age and sex	1 - 1	25	629-653
Number of deaths from each cause, per 1,000 deaths from known causes in the United States and each grand group, in the aggregate and for the cities and rural districts, by sex		26	655-679
Population:	+	20	000-015
Population, births, deaths, and death rates at certain ages, and deaths from certain principal causes in the United States, each state and city, and each group and county in the registration states, by sex, color, general nativity, and parent nativity	1	19	285-555
Proportions of the aggregate population of the United States at each specified age, per 100,000 population of known ages, by sex, color, general nativity, and parent nativity		27	683-687
Proportions of the aggregate, the white, and the colored populations of the United States and of each state and territory, at each specified age, per 100,000 population of known ages.	ī	28	689-695
Population and deaths, by states and territories, at each census: 1850 to 1900	2	1	1-2

#### ILLUSTRATIONS.

MAPS.		
STATE GROUPS:	Part.	,
Map of the United States showing the divisions of the country into grand groups and state groups. (Frontispiece)	1	viii
Map of the United States showing the relative proportions of deaths from searlet fever in the several state groups, per 1,000 deaths from known	1	exxii exxvi
causes.  Map of the United States showing the relative proportions of deaths from diphtheria and croup in the several state groups, per 1,000 deaths from	1	exxx
known causes.  Map of the United States showing the relative proportions of deaths from whooping cough in the several state groups, per 1,000 deaths from	1	
known causes.		exxxiv
Map of the United States showing the relative proportions of deaths from malarial fever in the several state groups, per 1,000 deaths from known causes.	1	exl
Map of the United States showing the relative proportions of deaths from influenza in the several state groups, per 1,000 deaths from known causes.	1	exlii
Map of the United States showing the relative proportions of deaths from typhoid fever in the several state groups, per 1,000 deaths from known causes.	1	exlvi
Map of the United States showing the relative proportions of deaths from diarrheal diseases in the several state groups, per 1,000 deaths from known causes.	1	elii
Map of the United States showing the relative proportions of deaths from consumption in the several state groups, per 1,000 deaths from known causes.	1	clxxx
Map of the United States showing the relative proportions of deaths from cancer in the several state groups, per 1,000 deaths from known causes.  Map of the United States showing the relative proportions of deaths from convulsions in the several state groups, per 1,000 deaths from known	1	elxxxiv ecii
causes.  Map of the United States showing the relative proportions of deaths from heart disease and dropsy in the several state groups, per 1,000 deaths	1	eex
from known causes.		
Map of the United States showing the relative proportions of deaths from pneumonia in the several state groups, per 1,000 deaths from known causes.	1	cexx
REGISTRATION STATES:  Map of the registration states showing, by counties, the comparative death rates due to diphtheria and croup, per 100,000 of population	1	
Man of the registration states showing, by counties, the comparative death rates due to influenza, per 100,000 of population.		exxx
Map of the registration states showing, by counties, the comparative death rates due to typhoid fever, per 100.000 of population		exlvi
Map of the registration states showing, by counties, the comparative death rates due to consumption, per 100,000 of population		elxxvi
Map of the registration states showing, by counties, the comparative death rates due to cancer and tumor, per 100,000 of population	1	elxxxiv
DIAGRAMS.		
Diagram showing for the United States the comparative proportions of deaths in each month, at all ages, and under 5 years, per 1,000 deaths, in known months,	1	xevii
Diagram showing for the United States the comparative proportions of deaths in each month, at 5 to 59, and 60 years of age and over, per 1,000 deaths in known months.	1	xeviii
CAUSES OF DEATH: Diagram showing for the registration states the comparative death rates from general diseases A, in each month, in the cities and the rural	1	exix
districts, per 190,000 of population.  Diagram showing for the registration states the comparative death rates from measles in each month, in the cities and the rural districts, per	1	exxiii
100,000 of population.		
Diagram showing for the registration states the comparative death rates from scarlet fever in each month, in the cities and the rural districts, per 100,000 of population.	1	exxvii
Diagram showing for the United States the comparative proportions of deaths at each age from diphtheria and croup, in 1890 and 1900, per 1,000 deaths at known ages.	1	exxx
Diagram showing for the registration states the comparative death rates from diphtheria in each month, in the cities and the rural districts, per 100,000 of population.	1	exxxii
Diagram showing for the registration states the comparative death rates from whooping cough in each month, in the cities and the rural districts, per 100,000 of population.	1	exxxvi
Diagram showing for the United States the comparative proportions of deaths at each age, from malarial fever, in 1890 and 1900, per 1,000 deaths at known ages.	1	exxxix

### TABLE OF CONTENTS.

DIAGRAMS-Continued.		
CAUSES OF DEATH—Continued.  Diagram showing for the registration states the comparative death rates from malarial fever in each month, in the cities and the rural dis-	Part.	Page.
tricts, per 100,000 of population.  Diagram showing for the registration states the comparative death rates from influenza in each month, in the cities and the rural districts, per	1	exlii <b>i</b>
100,000 of population.	_	
Diagram showing for the United States the comparative proportions of deaths at each age, from typhoid fever, in 1890 and 1900, per 1,000 deaths at known ages.	1	exlvii
Diagram showing for the registration states the comparative death rates from typhoid fever in each month, in the cities and the rural districts, per 100,000 of population.	1	cxlviii
Diagram showing for the United States the comparative proportions of deaths at each age, from diarrheal diseases (excluding cholera infantum), in 1890 and 1900, per 1,000 deaths at known ages.	1	clii
Diagram showing for the registration states the comparative death rates from diarrheal diseases in each month, in the cities and the rural dis-	1	cliii
triets, per 100,000 of population.  Diagram showing for the United States the comparative proportions of deaths at each age, from cerebro-spinal fever, in 1890 and 1900, per 1,000 deaths at known ages.	1	elyi
Diagram showing for the registration states the comparative death rates from cerebro-spinal fever in each month, in the cities and the rural districts, per 100,000 of population.	1	clvii
Diagram showing for the United States the comparative proportions of deaths at each age, from crysipelas in 1890 and 1900, per 1,000 deaths at known ages.	1	elix
Diagram showing for the registration states the comparative death rates from old age in each month, in the cities and the rural districts, per 100,000 of population.	1	elxvii
Diagram showing for the United States the comparative proportions of deaths at each age, from diabetes in 1890 and 1900, per 1,000 deaths at known ages.	1	clxx
Diagram showing for the United States the comparative proportions of deaths at each age, from scrofula and tabes in 1890 and 1900, per 1,000	1	clxxiii
deaths at known ages.  Diagram showing for the United States the comparative proportions of deaths at each age, from consumption in 1890 and 1900, per 1,000 deaths	1	clxxx
at known ages.  Diagram showing for the registration states the comparative death rates from consumption in each month, in the cities and the rural districts.	1	clxxxi
per 100,000 of population.	, *	
Diagram showing for the United States the comparative proportions of deaths at each age, from cancer in 1890 and 1900, per 1,000 deaths at known ages.	1	elxxxviii
Diagram showing for the registration states the comparative death rates from diseases of the nervous system in each month, in the cities and the rural districts, per 100,000 of population.	1	exev
Diagram showing for the United States the comparative proportions of deaths at each age, from apoplexy and paralysis in 1890 and 1900, per 1,000 deaths at known ages.	1	exeviii
Diagram showing for the registration states the comparative death rates from diseases of the circulatory system in each month, in the cities and the rural districts, per 100,000 of population.	1	ecvi
Diagram showing for the United States the comparative proportions of deaths at each age, from heart disease and dropsy, in 1890 and 1900, per 1,000 deaths at known ages.	1	ccix
Diagram showing for the registration states the comparative death rates from diseases of the respiratory system in each month, in the cities and	1	ccxvii
the rural districts, per 100,000 of population.  Diagram showing for the United States the comparative proportions of deaths at each age, from pneumonia, in 1890 and 1900, per 1,000 deaths at	1	cexx
known ages.  Diagram showing for the United States the comparative proportions of deaths at each age, from bronchitis, in 1890 and 1900, per 1,000 deaths at	1	cexxiii
known ages.  Diagram showing for the registration states the comparative death rates from diseases of the digestive system in each month, in the cities and	1	cexxvii
the rural districts, per 100,000 of population.		j
Diagram showing for the United States the comparative proportions of deaths at each age, from diseases of the liver, in 1890 and 1900, per 1,000 deaths at known ages.	1	eexxxvii
Diagram showing for the registration states the comparative death rates from affections connected with pregnancy in each month, in the cities and the rural districts, per 100,000 of population.	1	ecxlix
Diagram showing for the United States the comparative proportions of deaths at each age, from diseases of the bones and joints, in 1890 and 1900, per 1,000 deaths at known ages.	1	eelii
Diagram showing for the registration states the comparative death rates from accidents and injuries (exclusive of suicide) in each month, in	1	ecliv
the cities and the rural districts, per 100,000 of population.  Diagram showing for the United States the comparative proportions of deaths at each age, from suicide, in 1890 and 1900, per 1,000 deaths at because of the comparative proportions of deaths at each age.	1	celvii
known ages.  Diagram showing for the registration states the comparative death rates from suicide in each month, in the cities and the rural districts, per 100,000 of population.	1	celviii



#### TRANSMITTAL. LETTER OF

DEPARTMENT OF THE INTERIOR.

CENSUS OFFICE,

Washington, D. C., June 14, 1902.

SIR:

I have the honor to transmit for publication Part I of the Report on Vital Statistics.

This volume constitutes Volume III of the Census Reports, and contains the general tables giving the statistics of deaths by conjugal condition and occupation in relation to causes of death, with the analysis of the results, and the ratio tables.

Part II, which constitutes Volume IV of the Census Reports, contains the general tables giving the statistics of deaths by cause, sex, and age, in relating to color, general nativity, parent nativity, birthplaces of mothers. and month of death in various combinations.

This division has been greatly handicapped in the preparation of the analytical matter by the necessity of waiting for population details involved in the computations. A comprehensive analysis of the mortality and vital statistics requires complete population data, with all the details of age, color, nativity, parent nativity, conjugal condition, occupation, etc., for the same areas as the deaths, and the limitation in time of publication imposed by the census act did not permit them to be supplied in time to carry the analysis as far as desired, or to make a complete investigation and test of the data.

The reduction in space allowed for the vital statistics from four to two volumes has compelled the omission of detail tables that were presented in the corresponding report for 1890, but this has been largely offset by recasting or changing certain tables so as to present the most important facts in every case, and the analysis has been made as complete as possible within the limited period allowed.

Notwithstanding these limitations, it is believed that the very early publication of this report will more than

compensate for the decrease in volume of matter as compared with 1890.

In submitting this report I wish to express my high appreciation of the very valuable assistance rendered by Mr. Whitman Osgood, expert chief of division until his resignation, and Mr. Richard C. Lappin, the present expert chief of division. Their untiring efforts and those of an exceptionally efficient force of clerks have made it possible to complete the statistics in an unprecedented time. With such capable assistance the prosecution of this arduous work has been a pleasure.

Very respectfully,

WILLIAM A. KING, Chief Statistician for Vital Statistics.

Hon. WILLIAM R. MERRIAM, Director of the Census.